

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	39286	(wake or wake-up or wake-on\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 09:56
S2	4484	(wake or wake-up or wake-on\$6) and LAN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 10:31
S3	4484	(wake or wake-up or wake-on\$6 or wake up) and LAN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 09:56
S4	4721	(wake or wake-up or wake-on\$6 or wakeup) and LAN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 09:56
S5	195	(wake or wake-up or wake-on\$6) same status and LAN and network and server and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 10:49
S6	5	US-6421782-\$.DID. OR US-6393570-\$.DID. OR US-20020194512-\$.DID.	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 10:39
S7	1677	(wake or wake-up or wake-on\$6) same status and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 13:11

EAST Search History

S8	22	(wake or wake-up or wake-on\$6) with status same LAN and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 10:41
S9	195	(wake or wake-up or wake-on\$6) same status and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 10:45

EAST Search History

S10	195	(US-20050177755-\$ or US-20050102673-\$ or US-20050086366-\$ or US-20050085248-\$ or US-20050085180-\$ or US-20050080794-\$ or US-20050080551-\$ or US-20050050283-\$ or US-20050050245-\$ or US-20050046705-\$ or US-20050015384-\$ or US-20040259544-\$ or US-20040250113-\$ or US-20040249904-\$ or US-20040236633-\$ or US-20040221154-\$ or US-20040210673-\$ or US-20040210656-\$ or US-20040207440-\$ or US-20040199897-\$ or US-20040198466-\$ or US-20040162922-\$ or US-20040158865-\$ or US-20040153841-\$ or US-20040143607-\$ or US-20040139125-\$).did. or (US-20040128571-\$ or US-20040128310-\$ or US-20040107373-\$ or US-20040057449-\$ or US-20040057405-\$ or US-20040006716-\$ or US-20040002049-\$ or US-20030208467-\$ or US-20030200485-\$ or US-20030200473-\$ or US-20030188208-\$ or US-20030187520-\$ or US-20030151513-\$ or US-20030140121-\$ or US-20030125610-\$ or US-20030083889-\$ or US-20030078946-\$ or US-20030046503-\$ or US-20030037178-\$ or US-20030028514-\$ or US-20030012149-\$ or US-20020196771-\$ or US-20020194250-\$ or US-20020172218-\$ or US-20020161604-\$ or US-20020124100-\$ or US-20020102999-\$).did. or (US-20020094831-\$ or US-20020086665-\$ or US-20020078186-\$ or US-20020078121-\$ or US-20020077136-\$ or US-20020075145-\$ or	US-PGPUB; USPAT	ADJ	ON	2007/09/24 10:45
-----	-----	---	--------------------	-----	----	------------------

EAST Search History

S11	195	(wake or wake-up or wake-on\$6) same status and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 10:45
S12	219	(wake or wake-up or wakeup or wake-on\$6 or wakeon\$7) same status and LAN and network and server and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 14:55

EAST Search History

S22	219	(US-20050204176-\$ or US-20050177755-\$ or US-20050102673-\$ or US-20050086366-\$ or US-20050085248-\$ or US-20050085180-\$ or US-20050080794-\$ or US-20050080551-\$ or US-20050065742-\$ or US-20050055432-\$ or US-20050050283-\$ or US-20050050245-\$ or US-20050046705-\$ or US-20050015384-\$ or US-20040259544-\$ or US-20040250113-\$ or US-20040249904-\$ or US-20040236633-\$ or US-20040221154-\$ or US-20040210673-\$ or US-20040210656-\$ or US-20040207440-\$ or US-20040199897-\$ or US-20040198466-\$ or US-20040162922-\$ or US-20040158865-\$).did. or (US-20040153841-\$ or US-20040143607-\$ or US-20040139125-\$ or US-20040128571-\$ or US-20040128310-\$ or US-20040107373-\$ or US-20040077313-\$ or US-20040073912-\$ or US-20040057449-\$ or US-20040057405-\$ or US-20040006716-\$ or US-20040002049-\$ or US-20030208467-\$ or US-20030200485-\$ or US-20030200473-\$ or US-20030188208-\$ or US-20030187520-\$ or US-20030151513-\$ or US-20030140121-\$ or US-20030125610-\$ or US-20030083889-\$ or US-20030078946-\$ or US-20030046503-\$ or US-20030037178-\$ or US-20030028514-\$ or US-20030012149-\$ or US-20020196771-\$).did. or (US-20020194512-\$ or US-20020194250-\$ or US-20020172218-\$ or US-20020161604-\$ or US-20020124100-\$ or US-20020107035-\$ or	US-PGPUB; USPAT	ADJ	ON	2007/09/24 11:15
-----	-----	---	--------------------	-----	----	------------------

EAST Search History

S23	0	S22 and (wake on LAN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 11:16
S24	23	S22 and (wake-on-lan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 11:16
S25	0	S22 and (wake on lan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 11:17
S26	28	S22 and (wake on lan or wake-on\$6 or wakeon\$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 12:55
S27	0	S22 and (wake on lan or wake-on\$6 or wakeon\$7) with response	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 12:36
S28	4	S22 and (wake on lan or wake-on\$6 or wakeon\$7) same response	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 12:36
S29	19	S22 and (wake on lan or wake-on\$6 or wakeon\$7) and address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 13:05

EAST Search History

S30	2	S22 and (wake on lan or wake-on\$6 or wakeon\$7) same address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 12:56
S31	13	S22 and (wake on lan or wake-on\$6 or wakeon\$7) and remote near4 manag\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 13:14
S32	11	(wake on lan or wake-on\$6 or wakeon\$7) same (disable\$5 or "not enable\$4") and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 15:11
S33	13	S22 and (wake on lan or wake-on\$6 or wakeon\$7) and remote near4 (manag\$6 or administ\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 13:14
S34	13	S22 and (wake on lan or wake-on\$6 or wakeon\$7) and remote near4 (manag\$6 or administ\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 13:50
S35	14	"6311276"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 13:50
S36	2	"6311276".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 13:50

EAST Search History

S37	166	LAN and (remote\$5 near3 manag\$8) and (database same client same status) and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 14:56
S38	279	LAN and (remote\$5 near3 manag\$8) and (database same store same client same (information or status)) and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 14:58
S39	71	LAN and (remote\$5 near3 manag\$8) and (database same store same client same (capability or status)) and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 14:58
S40	34	LAN and (remote\$5 near3 manag\$8) and (database same store same client same (capability)) and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 15:32
S41	4	(wake on lan or wake-on\$6 or wakeon\$7) with status and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 15:12
S42	49	LAN and (remote\$5 near3 manag\$8) and (database same (store or contain) same client same (capability)) and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 15:33
S43	603	client same respond same (message or packet) same (capability or status) and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/24 15:34

EAST Search History

S44	60	manag\$6.ti. and (client same respond same (message or packet) same (capability or status)) and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 08:47
S45	3	manag\$6.ti. and (client with respond with (message or packet) with (capability or status)) and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 08:48
S46	398	manag\$6.ti. and (client with (respon\$5 or message or packet) with (capability or status)) and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 08:55
S47	241	manag\$6.ti. and (client with (transmi\$7 respon\$5 or message or packet) with (capability or status)) and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 08:56
S48	240	manag\$6.ti. and (client with (message or packet) with (capability or status)) and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 08:56
S49	53	manag\$6.ti. and (client with (send or transmit) with (message or packet) with (capability or status)) and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 08:57
S50	7	manag\$6.ti. and (client with (send or transmit) with (message or packet) with (capability)) and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 08:58

EAST Search History

S51	8	manag\$6.ti. and (client with (send or transmit) with (respons\$5 or message or packet) with (capability)) and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 09:00
S52	5	manag\$6.ti. and (client adj6 (send or transmit) adj6 (respons\$5 or message or packet) adj10 (capability or status)) and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 09:01
S53	5	manag\$6.ti. and (client adj6 (send or transmit) adj10 (respons\$5 or message or packet) adj10 (capability or status or feature)) and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 09:02
S54	65	(client adj6 (send or transmit) adj10 (respons\$5 or message or packet) adj10 (capability or status or feature)) and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 09:02
S55	13	(client adj6 (send or transmit) adj10 (respons\$5 or message or packet) adj10 (capability)) and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 09:03
S56	0	(client adj6 (send or transmit) adj10 (respons\$5 or message or packet) adj10 (status of)) and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 09:04
S57	0	(client adj10 (send or transmit or respons\$5 or message or packet) adj10 (status of)) and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 09:05

EAST Search History

S58	15	(client adj10 (send or transmit or respons\$5 or message or packet) adj10 (status adj4 service)) and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 09:06
S59	311	server with request with client adj6 status and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 09:07
S60	92	server adj4 request with client adj6 status and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 09:09
S61	3	server adj4 request with client adj6 status adj6 service and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 09:10
S62	563	server with client with status information and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 09:11
S63	0	server with client with status of adj3 service and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 09:11
S64	0	server with client with status of adj8 service and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 09:13

EAST Search History

S65	0	server with client with "status of" adj8 service and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 09:11
S66	0	"status of" adj8 service and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 09:11
S67	0	status of	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 09:11
S68	0	"status of"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 09:11
S69	82	server with client with status adj4 service and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 09:13
S70	4	status with (wakeon@4 or wake-on\$6 or wake on) and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 09:15
S71	20	(enabled\$4 or disable\$4) with (wakeon@4 or wake-on\$6 or wake on) and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 09:17

EAST Search History

S72	36	(enabled\$4 or disable\$4 or on or off) with (wakeon@4 or wake-on\$6 or wake on) and @ad<"20031231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/25 09:17
-----	----	---	--	-----	----	------------------